Industrial Tank Specifications (NSW/VIC)



QUALITY CUSTOM-FITTED TANKS. QUALITY CUSTOMER SERVICE.

Clark Industrial supplies custom-fitted industrial tanks for industrial water storage, water treatment plants, chemical storage and processing, liquid feed and liquid fertiliser storage.

Clark Industrial tanks are designed and manufactured to meet specific industrial requirements. We also offer a full range of fittings that can be fitted to the tank to your specifications at our manufacturing sites in Queensland (including Far North Queensland), New South Wales and Victoria.

Clark Industrial tanks are precision rotomoulded to comply with ASMD 1998-93 and manufactured to contain liquids with a range of specific gravities (SG 1 – SG 1.5 – SG 2). All are compatible with the storage of a wide range of chemicals, such as sodium hypochlorite, liquid alum and hydrochloric acid.

If the tank you need is not in our current range, talk to us about your special application requirements. We may be able to provide a cost-effective vessel that has the particular features you need.



Size	Diameter	Wall Height	Apex Height
46,800 L	4.59 m	2.71 m	3.34 m
31,800 L	4.13 m	2.45 m	2.84 m
23,600 L	4.10 m	1.82 m	2.16 m
22,700 L	3.61 m	2.24 m	2.69 m
13,600 L	2.81 m	2.23 m	2.63 m
10,000 L	2.60 m	1.85 m	2.23 m
9,500 L	3.06 m	1.23m	1.71 m
9,100 L	2.32 m	2.18 m	2.43 m
5,000 L	1.90 m	1.95 m	2.25 m
5,000 L Squat	2.10 m	1.40 m	1.74 m
4,500 L	2.14 m	1.28 m	1.52 m
3,000 L	1.47 m	1.91 m	1.98 m
2, 5 00 L	1.45 m	1.58 m	1.67 m
2,0 00 L	1.20 m	1.89 m	1.98 m
1,000 L	1.18 m	0.91 m	1.07 m

Free call 1800 252 758

www.clarkindustrial.com.au